

VC Accessories

Compatibility of MeetingEye 400 Pro with accessories			
Device	Accessories	Max Qty	Note
Audio Device	CPW90-Dect	1(2units)	
	CPW90-BT	0	Nonsupport
	VCM34	4	1. the cascade can star connection 2. It cannot be shared with CP965/960 3. It cannot be shared with a wireless mic
	VCM38	0	No support
	VCM35	4	1. the cascade can star connection 2. It cannot be shared with CP965/960 3. It cannot be shared with a wireless mic
	VCM36	2	V54 start supporting
	CP965	0	Nonsupport
	CP960	1	CP960 needs to be the VCS version
	CPW25	0	Nonsupport
	CP700/900	0	Nonsupport
	MSpeaker II	1	Via USB to line out cable.
Other Accessories	WPP20	5	But only 1 screen shared at the same time
	WPP30	5	But only 1 screen shared at the same time
	WF50	1	For Miracast
	VCR11	Unlimited	Old Type Remote Control
	VCR20	Unlimited	New Type Remote Control
	Dect USB Dongle	1	1 DD10 can connect 4 Dect microphones
	CTP20	4	When connecting more than 1 CTP20 Need to connect through an external PoE switch
	CTP18	4	When connecting more than 1 CTP18 Need to connect through an external PoE switch
	Central Control System	1	Support Crestron/AMX
	VCH50	1	The serial number starts from the second to 03016 and supports BYOD The serial number starts from the second and is 7074. BYOD is not supported
	VCH51 (new plan)		
VCH51 (old plan)			

Compatibility of MeetingEye 600 with accessories(New Hardware)

Device	Accessories	Max Qty	Note
Audio equipment	CPW90	2(units)	Need USB Dongle (DD10) for connection
	CPW90-BT	0	No support again
	VCM34	4	Cascaded / Star topology connection via PoE Switch
	VCM35	4	1. Star connections are available through PoE switches 2. It cannot be shared with CP965/960 3. It cannot be shared with a wireless mic
	VCM38	0	No Support again
	VCM36-W	0	No support
	CP960	1	CP960 needs to be the VCS version
	CP965	0	No Support
	CP700/900	0	Nonsupport
	MSpeaker II	1	Via 3.5mm jack/VCH Port
Other Accessories	WPP20	5	But only 1 screen shared at the same time
	WPP30	5	Yes, V54 is on
	WF50	1	For Miracast
	VCR11	Unlimited	Old Type Remote Control
	VCR20	Unlimited	New Type Remote Control
	Dect USB Dongle	1	1 DD10 can connect 4 Dect microphones
	CTP20	4	When connecting more than 1 CTP20 Need to connect through an external PoE switch
	CTP18	4	When connecting more than 1 CTP18 Need to connect through an external PoE switch
	Central Control System	1	Support Crestron/AMX
	VCH50	1	The serial number starts from the second to 03016 and supports BYOD The serial number starts from the second and is 7074. BYOD is not supported
	VCH51 (New Type)		
VCH51 (Old Type)			

Compatibility of MeetingEye 800 with accessories

Device	Accessories	Max Qty	Note
Vedio Device	UVC84	2	1, no AVhub, double shot 1080P30, single shot 4K30 2. It does not support AI functions
		9	1. M800 connects to Avhub via usb - not supported The M800 connects to the Avhub through a network cable 2. It does not support AI functions
		2	1, no AVhub, double shot 1080P30, single shot 4K30 2. It support auto framing, speaker tracking, and presenter tracking AI functions.

	UVC86	9	<p>1. M800 connects to Avhub via usb - not supported The M800 connects to the Avhub through a network cable</p> <p>2. It support auto framing, speaker tracking, and presenter tracking AI functions.</p>
	Third-party camera	1	Through the HDMI-in input, if there is a compatibility problem, you can avoid through the split-screen device first
Audio Device	CPW90	2(uni)	Need USB Dongle (DD10) for connection
	CPW90-BT	0	Connected via built-in Bluetooth
	VCM34	4	Cascaded / Star topology connection via PoE Switch
	VCM35	8	<p>1. Star connections are available through PoE switches</p> <p>2. It cannot be shared with CP965/960</p> <p>3. It cannot be shared with wireless mic</p>
	VCM36	0	Nonsupport
	VCM38	8	Star topology connection via PoE switch
	CP965	1	
	CP960	1	CP960 needs to be VCS version
	CPW25	2	No support Yet
	CP700/900	0	Nonsupport
MSpeaker II	4	Via VCH Port	
Other Accessories	WPP20	5	But only 1 screen shared at the same time
	wpp30	5	But only 1 screen shared at the same time
	WF50	1	For Miracast
	VCR11	Unlimited	Old Type Remote Control
	VCR20	Unlimited	New Type Remote Control
	Dect USB Dongle	1	1 DD10 can connect 4 Dect microphones
	CTP20	4	When connect more than 1 CTP20 Need to connect through an external PoE switch
	CTP18	4	When connect more than 1 CTP18 Need to connect through an external PoE switch
	Central Control System	1	Support Crestron/AMX
	VCH50	1	
VCH51 (New Type)			
VCH51 (Old Type)			

--

Compatibility of VC200-E and accessories

Device	Accessory	Max Qty	Note
Audio Device	CPW90	2	Need to be used with USB Dongle (DD10)
	CPW90-BT	2	Connect via built-in Bluetooth
	VCM34	2	Supports power supply and use of 2 VCM34 through the VCH port
	VCM35	4	Supports power supply and use of 2 VCM35 through the VCH port
	VCM36	0	Nonsupport
	VCM38	1	VCM38 can be connected through the VCH port
	CP965	0	Nonsupport
	CPW25	0	Nonsupport
	CP960	1	Support the use of one CP960 through the VCH port (but CP960 requires additional PoE power supply)
	CP700/900	0	No support again
	MSpeaker II	1	Support 3.5mm Future plans to support 4"
Accessories	WPP20	4	But only 1 screen shared at the same time
	WPP30	0	Nonsupport
	BT42	1	Used to connect CPW90-BT
	VCR11	Unlimited	Old Type Remote Control
	VCR20	Unlimited	New Type Remote Control
	Dect USB Dongle	1	1 DD10 can connection with 4 Dect Mic
	CTP20	1	When connect more than 1 CTP20 Need to connect through an external PoE switch
	CTP18	1	When connect more than 1 CTP18 Need to connect through an external PoE switch
	Central Control System	1	Support Crestron/AMX
	VCH50	1	
	VCH51 (New Type)		
VCH51 (Old Type)			

Compatibility of VC880 and accessories

Device	Accessory	Max Qty	Note
Video Device	VCC22 (and UVC84)	9	9 connected via VCH Port

	Third-party Camera	2	Connected via HDMI-In Port / VCH51, Only supports 7 UVC84 / VCC22 when connected a 3-rd party camera
Audio Device	CPW90	4	Need USB Dongle (DD10) for connection
	CPW90-BT	2	Connected via built-in Bluetooth
	VCM34	4	Cascaded / Star topology connection via PoE Switch
	VCM35	0	Nonsupport
	VCM36-W	0	Nonsupport
	VCM38	8	Star topology connection via PoE switch
	CP965	0	Nonsupport
	CP960	1	CP960 needs to be the VCS version
	CP700/900	0	Nonsupport
	MSpeaker II	1	Via 3.5mm jack / VCH Port
Accessories	WPP20	4	Need WF50, can display 4 shared-content at the same time
	Wpp30	0	Nonsupport
	WF50	1	Used to connect WPP20
	BT42	1	Used to connect CPW90-BT
	VCR11	Unlimited	Old Type Remote Control
	VCR20	Unlimited	New Type Remote Control
	Dect USB Dongle	1	1 DD10 can connect with 4 Dect Mic
	CTP20	4	When connecting more than 1 CTP20 Need to connect through an external PoE switch
	CTP18	4	When connecting more than 1 CTP18 Need to connect through an external PoE switch
	Central Control System	1	Support Crestron/AMX
	VCH50	1	
	VCH51 (New Type)		
	VCH51 (Old Type)		

Compatibility of VC800/VC500 and accessories			
Device	Accessory	Max Qty	Note
Video Device	VCC22 (and UVC84) (Only VC800 supported)	8	Via PoE switch
	Third-party	1	Connected via HDMI-In Port Only supports 8 UVC84 / VCC22 when

	Camera		connected a 3-rd party camera
Audio Device	CPW90	0	Nonsupport
	CPW90-BT	2	Connected via built-in Bluetooth
	VCM34	4	Cascaded / Star topology connection via PoE Switch
	VCM38	8	Star topology connection via PoE switch
	CP960	1	CP960 needs to be VCS version
	CP700/900	0	Nonsupport
	MSpeaker II	1	Via 3.5mm jack / VCH Port
Accessories	WPP20	4	Need WF50, can display 4 shared-content at the same time
	WF50	1	Used to connect WPP20
	BT42	1	Used to connect CPW90-BT
	VCR11	Unlimited	Old Type Remote Control
	VCR20	Unlimited	New Type Remote Control
	Dect USB Dongle	0	Nonsupport
	CTP20	4	When connect more than 1 CTP20 Need to connect through an external PoE switch
	CTP18	4	When connect more than 1 CTP18 Need to connect through an external PoE switch
	Central Control System	1	Support Crestron/AMX
	VCH50	1	
	VCH51 (New Type)		
VCH51 (Old Type)			